



**Monoblock push button  
with bell symbol 10A  
250V~ and screw  
terminal connection  
system white Simon 73  
Loft**

Ref.: **73150-50**

## BASIC INFORMATION

Indicator function	No
No. of possible elements	1 element
Installation direction	Vertical and horizontal
Packaging contents	Mechanism with rocker and frame
Series	Simon 73 Loft
Version	Single
Intensity	10 A
Voltage	250 V~
Monoblock	Sí
Type of terminal connection	Screw
Type of mechanism	Pivoting

## Technical information

Cable section admitted	From 1.5 to 2.5 mm
Cable stripping necessary	13 mm
IP rating	20
RAL	Does not have
Manufacturing material	Metallic components with halogen-free insulation and thermoplastic trims
Type of product	Standard
Market available	CE

## Regulations

Regulations	No aplica
-------------	-----------

## Installation and maintenance

Installation type	Suitable for surface mounting
Operating temperature range	5 to 40 °C
Storage temperature range	-25 to 50 °C
Maintenance	Clean with a soft, dry cloth.



[www.simonelectric.com](http://www.simonelectric.com)



**SIMON, S.A.U.**

Diputación, 390-392  
08013 Barcelona (Spain)  
Tel.: +34 93 547 81 81