



**Floor trunking entry
baseboard 1 side 85x18
mm for securing plastic
mini tower with 2 sides
white Simon 500 Cima**

Ref.: **52554204-030**

BASIC INFORMATION

Series	Simon 500 Cima
Version	2 sides
Finish	White
Available in	2 sides
Packaging contents	Floor trunking entry baseboard
Remarks	Integrates the mini tower into the 85x18 mm floor trunking

Technical information

Dimensions	126 x 136 mm
Depth	11.5 mm
Cabling feed in baseboard dimensions	76 x 86 mm
Heat resistance	+125 °C (in accordance with standard IEC 60695-10-2)
Extinguishing	+850 °C / 30 seconds (GWFI in accordance with standard IEC 60695-2-11)
Insulation resistance	>5MOhms at 500V
Dielectric strength	No holes or contours, with 2000V at 50 Hz for 1 minute
IP rating	4X
RAL	9003
Manufacturing material	Halogen-free thermoplastic that guarantees no flame propagation in case of fire and low toxicity in case of smoke emission.
Type of product	Standard
Market available	CE


Regulations

Regulations	Directive 2014/35/UE LVD + EN 50085-2-4:2009
-------------	--

Installation and maintenance

Type of fastening	By direct snap-fit into the 85x18 mm 1 side floor trunking (tool-free fitting)
Installation direction	Horizontal
Temperature range during installation	-5 to 60 °C
Max. temp. during construction work	+60 °C
Maintenance	Clean with a soft, dry cloth. Do not use abrasive

cloths or cleaning products that contain chlorine.



Zócalo con pretroquel preparado para canal de suelo DCS 85x18mm



www.simonelectric.com



SIMON, S.A.U.

Diputación, 390-392
08013 Barcelona (Spain)
Tel.: +34 93 547 81 81